

MAR

CALIBER® MK4 OPTIONAL FEATURES

0

CALIBER® Claw Attachment Kit (P/N 10005)

Increase the capabilities of your CALIBER® MK4 robot and keep responders out of harm's way. Set of tools includes: window breaker, tire deflator, finger extension, cutting hook, utility knife, multiple effectors and hook & line accessories, and probing tools.







Auxiliary Claw Camera - MK4 (P/N 11298) Mounted on the claw of the robot the Auxiliary Claw Camera's adjustable folding

arms can be manipulated to have multiple viewing angles of the claw.



OpenVision[™] Integration Kit (P/N OV-INKIT-MK4)

The OpenVision[™] Integration Kit allows the OpenVision[™] live video X-ray imaging system to be easily deployed remotely using the CALIBER® MK4 robot. The live video can be transmitted wirelessly and displayed on the robot's Command and Control Unit. (Open VisionTM live video X-ray imaging system not included).







Fiber-Optic Reel (P/N CAL-FR1) 1000' (305m) milspec fiber-optic tether reel with motorized spooler for use as a backup to RF control.





RF Extender (P/N CAL-VEX-4)

Increase the operating RF range of you CALIBER® MK4 with the RF Extender. Mounted on a portable tripod, data and video antennas can be directly connected to the CCU using the 500' Hardwire Tether (included in standard robot package). Key uses include: extending RF range; enabling LOS around corners; and, increasing robot operation in buildings/parking garages by placing RF inside the structure while maintaining a command post outside.

FLIR® Thermal Image Camera (P/N CAL-FLMK4) The thermal imaging camera displays heat signatures in color The thermal imaging camera displays heat signatures in color or B/W and is mounted in place of the PTZ camera.







CBRNE/HAZMAT Sensor Platform (P/N CAL-OP020) Mounted on the arm the CBRNE and HAZMAT Sensor platform is ideal for mounting commercial off the shelf sensors. (Sensor not included)





 $\label{eq:constraint} \begin{array}{c} \textbf{X-Ray Mount} \ (P/N \ \text{CAL-XR1}) \\ \text{The X-Ray Mount keeps technicians clear of danger by using the CALIBER® MK4 to remotely deploy} \end{array}$ the portable x-ray system. Mount supports all major X-Ray Sources and Imaging Plates. Please specify type of plate and source to be used at time of purchase. Note: The xray imager and generator are not included.





CALIBER® MK4 BATTERY PACK (P/N CAL-EB4) Lead-acid rechargeable battery pack for the CALIBER® MK4. Four 12V cells totalling to 48V. Note: The standard MK4 package includes one robot battery.







CALIBER® MK4 Charger (CAL-BC4-110, CAL-BC4-220) The 48V DC robot battery charger for the CALIBER® MK4 can charge the robot's battery while inside the robot and outside. *Note: The standard MK4 package* includes one robot battery charger.




UNIVERSAL DISRUPTER MOUNT (P/N CAL-UDMMK4)

Using interchangeable blocks, the Universal Disrupter Mount supports major disrupters, including: 29mm Neutrex, RE 70, Vulcan, and 29mm RC Neutrex.









Basic Spare Parts Kit (P/N CAL-SP3) Contains essential spare parts for the chassis, deck, tracks, wrist, arms, cameras, etc. that are needed for regular maintenance.

Heavy Duty Transit Cases (P/N CAL-OP022) A Heavy Duty Transit Case that can be used for repeated transport of the CALIBER®

Heavy Duty Transit Case that can be used for repeated transport of the CALIBER® MK4 robot with a folding door that functions as a ramp when opened.







The Heavy Duty Water Resistant Accessories Case fits all the robots accesories with quick disconnect wheels.





G

TECHNOLO

Aluminum Ramps (P/N CAL-ALO) Foldable, lightweight ramps for loading and unloading CALIBER® robot into response vehicles.



P/N: 10819 - Printed in Canada V2.0 Due to a policy of continuous product improvement, ICOR reserves the right to change specifications and appearances without notice